



T 1600



wherein, R_{01} and R_{02} are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-1), (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-1) to (1-5),

m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH;

R_{11} and R_{12} are identical to or different from each other, and express a hydrogen atom or a C_1 - C_4 alkyl group;

K, L and M are each a hydrogen atom; M is a hydrogen atom, and K and L together express a single bond and express a double bond in cooperation with the single bond already shown in the formula; or K is a hydrogen atom, and L and M together express a single bond and express a double bond in cooperation with the single bond already shown in the formula;

R₂₁, R₂₂ and R₂₃ are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₁-C₄ alkyloxycarbonyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or R₂₁ and R₂₂ together may express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses >C(-F)-R₃₁ or >N-R₃₁, and herein R₃₁ is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxy group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₃₂, R₃₃, R₃₄ and R₃₅ are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a C₁-C₄ alkyl group or a C₂-C₅ acyloxy group;

A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C₂-C₅ acyloxy group;

Amended B1

R₄₁ and R₄₂ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or they express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₃ and R₄₄ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅

acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

Handwritten: 11/11/01
R₅₁ expresses -CONR₅₁₁R₅₁₂, -COR₅₁₃ or -C(OH)R₅₁₄R₅₁₅, wherein R₅₁₁ and R₅₁₂ are identical to or different from each other, and they are a hydrogen atom or a C₁-C₄ alkyl group, or both the members together express a nitrogen-containing C₃-C₈ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R₅₁₃, R₅₁₄ and R₅₁₅ are identical to or different from each other, and they express a C₁-C₄ alkyl group;


R₅₂ expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,

with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R₂₁ and R₂₂, R₃₂ and R₃₃, R₃₄ and R₃₅, R₄₁ and R₄₂, R₄₃ and R₄₄, and R₄₅ and R₄₆ are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula

(1-6),




(1-6)

wherein, p and q are each 0 or the integer 1; R₆ is a hydrogen atom or a C₁-C₄ alkyl group, and

(c) a compound of the following formula (2),

T1631



(2)

wherein, R₀₁ and R₀₂ are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R₇ is a methyl group or a methylene group; when R₇ is a methylene group, the bond between R₇ and the carbon atom at the 26-position is double bond.

47. ² (Amended) The method according to 46, wherein the inflammatory respiratory disease is one or not less than two kinds of inflammatory respiratory diseases selected from a group consisting of acute upper airway infection, chronic sinusitis, allergic rhinitis, chronic lower airway infection, pulmonary emphysema, pneumonia, bronchial asthma, tuberculosis sequela, acute respiratory distress syndrome, cystic fibrosis and pulmonary fibrosis.

3 48. ² (Amended) The method according to claim 47, wherein the acute upper airway infection is one or not less than two kinds of diseases selected from a group consisting of common cold, acute pharyngitis, acute rhinitis, acute sinusitis, acute tonsillitis, acute pharyngitis, acute epiglottitis and acute bronchitis.


4 49. ² (Amended) The method according to claim 47, wherein the chronic lower airway infection is one or not less than two kinds of diseases selected from a group consisting of chronic bronchitis, diffuse panbronchiolitis and bronchiectasis.

B

Handwritten: β_1


Handwritten: 550

(Amended) A method for treating one or not less than two kinds of inflammatory respiratory diseases selected from a group consisting of chronic bronchitis, diffuse panbronchiolitis, bronchiectasis, bronchial asthma, pulmonary emphysema, tuberculosis sequela and cystic fibrosis comprising administering to a subject a therapeutically effective amount of a vitamin D₃ compound expressed by the following formula (1) or pharmaceutically permissible solvate thereof:



wherein, R₀₁ and R₀₂ are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-1), (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-1) to (1-5),

m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH;

R₁₁ and R₁₂ are identical to or different from each other, and express a hydrogen atom or a C₁-C₄ alkyl group;

K, L and M are each a hydrogen atom; M is a hydrogen atom, and K and L together express a single bond and express a double bond in cooperation with the single bond already shown in the formula; or K is a hydrogen atom, and L and M together express a single bond and express a double bond in cooperation with the single bond already shown in the formula;

R₂₁, R₂₂ and R₂₃ are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₁-C₄ alkyloxycarbonyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or R₂₁ and R₂₂ together may express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses >C(-F)-R₃₁ or >N-R₃₁, and herein R₃₁ is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxy group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₃₂, R₃₃, R₃₄ and R₃₅ are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a C₁-C₄ alkyl group or a C₂-C₅ acyloxy group;

A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C₂-C₅ acyloxy group;

R₄₁ and R₄₂ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or they express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₃ and R₄₄ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₅₁ expresses -CONR₅₁₁R₅₁₂, -COR₅₁₃ or -C(OH) R₅₁₄R₅₁₅, wherein R₅₁₁ and R₅₁₂ are identical to or different from each other, and they are a hydrogen atom or a C₁-C₄ alkyl group, or both the members together express a nitrogen-containing C₃-C₈ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R₅₁₃, R₅₁₄ and R₅₁₅ are identical to or different from each other, and they express a C₁-C₄ alkyl group;


R₅₂ expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,

with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R₂₁ and R₂₂, R₃₂ and R₃₃, R₃₄ and R₃₅, R₄₁ and R₄₂, R₄₃ and R₄₄, and R₄₅ and R₄₆ are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula (1-6),

T9002




(1-6)

wherein, p and q are each 0 or the integer 1; R_6 is a hydrogen atom or a C_1 - C_4 alkyl group, and

(c) a compound of the following formula (2),

T9003




(2)

wherein, R_{01} and R_{02} are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R_7 is a methyl group or a methylene group; when R_7 is a methylene group, the bond between R_7 and the carbon atom at the 26-position is double bond.


6. 1. (Amended) A method for treating a disease selected from a group consisting of malignant tumors, rheumatoid arthritis, osteoporosis, diabetes mellitus, hypertension, alopecia, acne, psoriasis and dermatitis comprising administering to a subject a therapeutically effective amount of a vitamin D_3 compound expressed by the following formula (1) or pharmaceutically permissible solvate thereof:

T 9004



wherein, R_{01} and R_{02} are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-1), (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-1) to (1-5),


m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH;

R_{11} and R_{12} are identical to or different from each other, and express a hydrogen atom or a C_1 - C_4 alkyl group;

K, L and M are each a hydrogen atom; M is a hydrogen atom, and K and L together express a single bond and express a double bond in cooperation with the single bond already shown in the formula; or K is a hydrogen atom, and L and M together express a single bond and express a double bond in cooperation with the single bond already shown in the formula;


 R₂₁, R₂₂ and R₂₃ are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₁-C₄ alkyloxycarbonyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or R₂₁ and R₂₂ together may express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses >C(-F)-R₃₁ or >N-R₃₁, and herein R₃₁ is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxy group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₃₂, R₃₃, R₃₄ and R₃₅ are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a C₁-C₄ alkyl group or a C₂-C₅ acyloxy group;

A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C₂-C₅ acyloxy group;

 R₄₁ and R₄₂ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or they express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₃ and R₄₄ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅

acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

Handwritten: R₅₁
R₅₁ expresses -CONR₅₁₁R₅₁₂, -COR₅₁₃ or -C(OH)R₅₁₄R₅₁₅, wherein R₅₁₁ and R₅₁₂ are identical to or different from each other, and they are a hydrogen atom or a C₁-C₄ alkyl group, or both the members together express a nitrogen-containing C₃-C₈ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R₅₁₃, R₅₁₄ and R₅₁₅ are identical to or different from each other, and they express a C₁-C₄ alkyl group;

R₅₂ expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,


with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R₂₁ and R₂₂, R₃₂ and R₃₃, R₃₄ and R₃₅, R₄₁ and R₄₂, R₄₃ and R₄₄, and R₄₅ and R₄₆ are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula

(1-6),

Handwritten: T 9006




(1-6)

wherein, p and q are each 0 or the integer 1; R_6 is a hydrogen atom or a C₁-C₄ alkyl group, and

(c) a compound of the following formula (2),


T9607



(2)

wherein, R₀₁ and R₀₂ are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R₇ is a methyl group or a methylene group; when R₇ is a methylene group, the bond between R₇ and the carbon atom at the 26-position is double bond.


7 82. (Amended) A method for treating hypercalcemia attributable to vitamin D excess comprising administering to a subject a therapeutically effective amount of a vitamin D₃ compound of the following Formula (1) or pharmaceutically permissible solvate thereof,



(1)

wherein, R₀₁ and R₀₂ are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-2) to (1-5),

m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH;

R_{21} , R_{22} and R_{23} are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a $\text{C}_1\text{-C}_4$ alkyloxycarbonyl group, a $\text{C}_2\text{-C}_5$ acyloxy group, a $\text{C}_1\text{-C}_4$ alkyloxy group or a $\text{C}_1\text{-C}_4$ alkyl group which may be substituted with a hydroxyl group, a $\text{C}_2\text{-C}_5$ acyloxy group or a $\text{C}_1\text{-C}_4$ alkyloxy group, or R_{21} and R_{22} together may express a $\text{C}_3\text{-C}_6$ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses $>\text{C}(\text{F})\text{-R}_{31}$ or $>\text{N-R}_{31}$, and herein R_{31} is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a $\text{C}_2\text{-C}_5$ acyloxy group, a $\text{C}_1\text{-C}_4$ alkyloxy group or a $\text{C}_1\text{-C}_4$ alkyl group which may be substituted with a hydroxy group, a $\text{C}_2\text{-C}_5$ acyloxy group or a $\text{C}_1\text{-C}_4$ alkyloxy group;

R_{32} , R_{33} , R_{34} and R_{35} are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a $\text{C}_1\text{-C}_4$ alkyl group or a $\text{C}_2\text{-C}_5$ acyloxy group;


A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C₂-C₅ acyloxy group;

R₄₁ and R₄₂ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or they express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₃ and R₄₄ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

 D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₅₁ expresses -CONR₅₁₁R₅₁₂, -COR₅₁₃ or -C(OH) R₅₁₄R₅₁₅, wherein R₅₁₁ and R₅₁₂ are identical to or different from each other, and they are a hydrogen atom or a C₁-C₄ alkyl group, or both the members together express a nitrogen-containing C₃-C₈ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R₅₁₃, R₅₁₄ and R₅₁₅ are identical to or different from each other, and they express a C₁-C₄ alkyl group;


R₅₂ expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,

with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R₂₁ and R₂₂, R₃₂ and R₃₃, R₃₄ and R₃₅, R₄₁ and R₄₂, R₄₃ and R₄₄, and R₄₅ and R₄₆ are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula (1-6),


T9009



(1-6)

wherein, p and q are each 0 or the integer 1; R₆ is a hydrogen atom or a C₁-C₄ alkyl group, and

(c) a compound of the following formula (2),




(2)

wherein, R₀₁ and R₀₂ are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R₇ is a methyl group or a methylene group; when R₇ is a methylene group, the bond between R₇ and the carbon atom at the 26-position is double bond.


8. 53. (Amended) A method for treating hypoparathyroidism comprising administering to a subject a therapeutically effective amount of a vitamin D₃ compound of the following Formula (1) or pharmaceutically permissible solvate thereof,

T 9011



wherein, R_{01} and R_{02} are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-2) to (1-5),

m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH ;

R_{21} , R_{22} and R_{23} are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C_1 - C_4 alkyloxycarbonyl group, a C_2 - C_5 acyloxy group, a C_1 - C_4 alkyloxy group or a C_1 - C_4 alkyl group which may be substituted with a hydroxyl group, a C_2 - C_5 acyloxy group or a C_1 - C_4

alkyloxy group, or R_{21} and R_{22} together may express a C_3 - C_6 cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses $>C(-F)-R_{31}$ or $>N-R_{31}$, and herein R_{31} is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C_2 - C_5 acyloxy group, a C_1 - C_4 alkyloxy group or a C_1 - C_4 alkyl group which may be substituted with a hydroxy group, a C_2 - C_5 acyloxy group or a C_1 - C_4 alkyloxy group;

R_{32} , R_{33} , R_{34} and R_{35} are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a C_1 - C_4 alkyl group or a C_2 - C_5 acyloxy group;

A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C_2 - C_5 acyloxy group;

R_{41} and R_{42} are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C_2 - C_5 acyloxy group, a C_1 - C_4 alkyloxy group or a C_1 - C_4 alkyl group which may be substituted with a hydroxyl group, a C_2 - C_5 acyloxy group or a C_1 - C_4 alkyloxy group, or both the members together express a C_1 - C_5 alkylidene group, or they express a C_3 - C_6 cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R_{43} and R_{44} are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C_2 - C_5 acyloxy

group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₅₁ expresses -CONR₅₁₁R₅₁₂, -COR₅₁₃ or -C(OH)R₅₁₄R₅₁₅, wherein R₅₁₁ and R₅₁₂ are identical to or different from each other, and they are a hydrogen atom or a C₁-C₄ alkyl group, or both the members together express a nitrogen-containing C₃-C₈ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R₅₁₃, R₅₁₄ and R₅₁₅ are identical to or different from each other, and they express a C₁-C₄ alkyl group;


R_{52} expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,

with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R_{21} and R_{22} , R_{32} and R_{33} , R_{34} and R_{35} , R_{41} and R_{42} , R_{43} and R_{44} , and R_{45} and R_{46} are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula


(1-6),



(1-6)

wherein, p and q are each 0 or the integer 1; R_6 is a hydrogen atom or a C_1 - C_4 alkyl group, and

(c) a compound of the following formula (2),




(2)

wherein, R_{01} and R_{02} are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R_7 is a methyl group or





a methylene group; when R_7 is a methylene group, the bond between R_7 and the carbon atom at the 26-position is double bond.

9 54. (Amended) A method for treating metabolic disorder of cartilage comprising administering to a subject a therapeutically effective amount of a vitamin D_3 compound of the following Formula (1) or pharmaceutically permissible solvate thereof,



wherein, R_{01} and R_{02} are each independently a hydrogen atom, a trimethylsilyl group, a triethylsilyl group, a t-butyldimethylsilyl group, an acetyl group, a methoxymethyl group or a tetrahydro-4H-pyran-2-yl group;

Z is one out of the following formulae (1-2), (1-3), (1-4) or (1-5),



in the above formulae (1-2) to (1-5),

m is an integer of 0 to 2;

n is an integer of 0 to 2;

X' is an oxygen atom or NH;

part B
R₂₁, R₂₂ and R₂₃ are identical to or different from each other, and they are a hydrogen atom, a hydroxy group, a carboxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₁-C₄ alkyloxycarbonyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or R₂₁ and R₂₂ together may express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Q expresses >C(-F)-R₃₁ or >N-R₃₁, and herein R₃₁ is a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxy group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

R₃₂, R₃₃, R₃₄ and R₃₅ are identical to or different from each other, and they are a hydrogen atom, a hydroxyl group, a C₁-C₄ alkyl group or a C₂-C₅ acyloxy group;

A and B are identical to or different from each other, and they express a hydrogen atom or a hydroxyl group, or together express a single bond and form a double bond in cooperation with the single bond already shown in the formula;

X and Y together express a carbonyl group in cooperation with the carbon atom to which they are bonded, one of them is a hydrogen atom and the other is a hydroxyl group, or one of them is a hydrogen atom and the other is a C₂-C₅ acyloxy group;

R₄₁ and R₄₂ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl

group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or they express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

Amended B1

R₄₃ and R₄₄ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group, or both the members together express a C₁-C₅ alkylidene group, or express a C₃-C₆ cyclic alkyl group in cooperation with the carbon atom to which they are bonded;

R₄₅ and R₄₆ are identical to or different from each other, and they express a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

D and E express each a hydrogen atom, D is a hydroxy group and E expresses a hydrogen atom, D and E together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, or E and R₄₁ together express a single bond and express a double bond in cooperation with the single bond already shown in the formula, wherein D expresses a hydrogen atom or a hydroxy group; and R₄₂ expresses a hydrogen atom, a hydroxyl group, a trifluoromethyl group, a pentafluoroethyl group, a C₂-C₅ acyloxy group, a C₁-C₄ alkyloxy group or a C₁-C₄ alkyl group which may be substituted with a hydroxyl group, a C₂-C₅ acyloxy group or a C₁-C₄ alkyloxy group;

Handwritten: B1

R_{51} expresses $-\text{CONR}_{511}\text{R}_{512}$, $-\text{COR}_{513}$ or $-\text{C}(\text{OH})\text{R}_{514}\text{R}_{515}$, wherein R_{511} and R_{512} are identical to or different from each other, and they are a hydrogen atom or a $\text{C}_1\text{-C}_4$ alkyl group, or both the members together express a nitrogen-containing $\text{C}_3\text{-C}_8$ alkyl ring or a morpholino group in cooperation with the nitrogen atom to which they are bonded; and R_{513} , R_{514} and R_{515} are identical to or different from each other, and they express a $\text{C}_1\text{-C}_4$ alkyl group;


R_{52} expresses a methyl group, an ethyl group, a trifluoromethyl group or a pentafluoroethyl group,

with the proviso that the following compounds (a), (b) and (c) are excluded,

(a) a compound in which the groups of one combination out of R_{21} and R_{22} , R_{32} and R_{33} , R_{34} and R_{35} , R_{41} and R_{42} , R_{43} and R_{44} , and R_{45} and R_{46} are both hydroxy groups, both alkyloxy groups, or a hydroxy group and an alkyloxy group,

(b) a compound expressed by the above formula (1) in which Z is the following formula

(1-6),



(1-6)


wherein, p and q are each 0 or the integer 1; R_6 is a hydrogen atom or a $\text{C}_1\text{-C}_4$ alkyl group, and

(c) a compound of the following formula (2),

Amendment Under 37 C.F.R. § 1.111
U.S. Application No. 10/035,217

Handwritten: B¹

Handwritten: T9019



(2)

wherein, R₀₁ and R₀₂ are defined in the same manner as in the above formula (1); the configuration of the carbon atom at the 20-position is (R)-configuration; R₇ is a methyl group or a methylene group; when R₇ is a methylene group, the bond between R₇ and the carbon atom at the 26-position is double bond.

Handwritten: B